## **Amendments to the Claims**

Please amend claims 28, 29, 32, 33, 35, 40, 43, 44, 45, 48, and 50 as indicated below. Please add new claim 55. For examiner convenience all active claims are shown. This listing of claims replaces all prior versions, and listings, of claims in the application.

28. (**Currently Amended**) A method, comprising:

2 receiving a first request identifying first data on a first host system;

receiving a second request identifying second data on a second host system;

and

1

5

6

7

8

9

10

11

12

region, wherein the first data persists in the single information browser region after the information browser receives a third request operative to replace display of the first data and the second data with display of new data in the single information browser region.

- 29. (**Currently Amended**) The method of claim 28, further comprising: providing a persistency control in the information browser, the persistency control configured to selectively prevent attempts to replace data identified as persistent within the <u>single</u> information browser <u>region</u>; and
- flagging the first data as persistent.
- 14 30. (Original) The method of claim 28, further comprising:

  15 encoding the first data with a program language, the encoding comprising code

  16 for a navigation interface displayable within the information browser; and

1	configuring the information browser to execute the program language.					
2	31. (Previously Presented) The method of claim 28, wherein the third					
3	request corresponds to non-link based navigation of the information browser.					
4	32. (Currently Amended) The method of claim 28, further comprising:					
5	replacing display of displaying the first data and the second data in the single					
6	information browser region with display of before displaying the first data and the new					
7	data in the single information browser region.					
8	33. (Currently Amended) The method of claim 32, further comprising:					
9	concurrently displaying the first data and the second data; and					
10	concurrently displaying the first data and the third data;					
11	wherein the first data, the second data, and the new data respectively comprise					
12	encodings of three different web pages.					
13	34. (Original) The method of claim 28, further comprising:					
14	wherein the information browser is disposed within a computing device having					
15	local resources different from remote resources;					
16	wherein the first request comprises a request for loading a local resource of the					
17	computing device within the information browser; and					
18	wherein the second request comprises a request for loading a remote resource					
19	within the information browser.					
20	35. ( <b>Currently Amended</b> ) The method of claim 28, further comprising:					

providing a user-interface for the information browser; and

corresponding thereto.

	Application No. 09/677,555
	Amendment dated February 27, 2004 Response to Office Action of October 27, 2003
1	logically partitioning the single information

1	logically partitioning the single information browser region user interface into a				
2	persistent portion for displaying persistent data comprising the first data, and a non-				
3	persistent portion for displaying data replaceable during navigation of the information				
4	browser.				
5	36. (Original) The method of claim 28, further comprising:				
6	providing a user interface for the information browser;				
7	wherein the user interface comprises a first interface control, which when				
8	activated, generates the first request.				
9	37. (Original) The method of claim 36, further comprising:				
10	wherein the first interface control is configured to direct the information browse				
11	to persistently display a selected one of: a browser history, a search utility, or and a				
12	browser configuration utility.				
13	38. (Original) The method of claim 36, further comprising:				
14	providing a second interface control, which when activated, generates said				
15	second request.				
16	39. (Original) The method of claim 38,				
17	wherein the second interface control is configured to direct the information				
18	browser to navigate to a particular network address and non-persistently display data				



6

7

8

1

40. (Currently Amended) The method of claim 38, wherein activation selection of said second interface control directs the information browser to execute

3 programming instructions.

4 41. (Previousl

41. (Previously Presented) The method of claim 36, wherein the third

request is received responsive to an activation of a selected one of: a forward button, a

backward button, a history button and a search button.



42. (Original) The method of claim 36, wherein selection of said first interface control directs the information browser to execute programming instructions.

9

10

43. (**Currently Amended**) An apparatus comprising a readable medium having instructions encoded thereon for execution by a processor, said instructions capable of directing the processor to perform:

12

13

14

11

receiving a first request identifying <u>a</u> first resource[s] on a first host system; receiving a second request identifying <u>a</u> second resource[s] on a second host system; and

15

16

17

18

19

20

persistently displaying the first resource in a single information browser region;
wherein persistence comprises continuing to display the first resource in the
single information browser region after the information browser is directed to replace
display of the first resource responsive to said receiving the second request
persistently displaying first data corresponding to the first request in an information
browser, wherein persistence comprises continuing to display said first data after the

information browser is directed to display new data to replace the first data; and

46.

(Original)

19

20

2	information browser.
3	44. (Currently Amended) The apparatus of claim 43, said instructions
4	including further instructions capable of directing the processor to perform:
5	providing a persistency control with the information browser, said persistency
6	control configured to selectively prevent attempts to replace data flagged as persistent
7	within the information browser; and
8	flagging said first <u>resource</u> <del>data</del> as persistent.
9	45. (Currently Amended) The apparatus of claim 43, said instructions
10	including further instructions capable of directing the processor to perform:
11	displaying the first and second resources in the single information browser
12	region;
13	receiving a third request identifying a third resource [s], said third request
14	configured to replace said displaying of the first and second resources data displayed in
15	the information browser; and
16	displaying the third resource data corresponding to the third request concurrently
17	along with the said persistent displaying of said first resource data instead of replacing
18	display of the first and second resources.

displaying second data corresponding to the second request in the single

generated through navigation controls of the information browser.

The apparatus of claim 45, wherein said third request is

(Currently Amended)

The apparatus of claim 43, said instructions



5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

48.

1	47.	(Original)	The apparatus of claim 43, wherein said instructions for		
2	receiving the first request comprises instructions for receiving a request for a first we				
3	page, and w	herein said ir	nstructions for receiving the second request comprises		
4	instructions	for receiving	a request for a second web page.		

including further instructions capable of directing the processor to perform:

providing a user interface for the information browser, the user interface including the single information browser region; and

<u>logically</u> partitioning the <u>single information browser region</u> <u>user interface</u> into a persistent portion for displaying persistent data comprising said first data, and a non-persistent portion for displaying data replaceable during navigation of the information browser.

49. (Original) The apparatus of claim 43, said instructions including further instructions capable of directing the processor to perform:

providing a user interface for the information browser, said user interface comprising a first interface control, which when activated, generates said first request.

50. (**Currently Amended**) The apparatus of claim 49, said instructions including further instructions capable of directing the processor to perform:

configuring the first interface control to direct the information browser to persistently display a selected one of: a browser history, a search utility, <u>or and</u> a browser configuration utility.

1	51. (Original) The apparatus of claim 49, said instructions including further			
2	instructions capable of directing the processor to perform:			
3	providing a user interface for the information browser comprising a second			
4	interface control, which when activated, generates said second request.			
-	50 (Original). The apparetus of claim 51 said instructions including further			
5	52. (Original) The apparatus of claim 51, said instructions including further			
6	instructions capable of directing the processor to:			
7	configure the second interface control to direct the information browser to			
8	navigate to a particular network address and non-persistently display data			
9	corresponding thereto.			
10	53. (Original) The apparatus of claim 43, said instructions including further			
11	instructions capable of directing the processor to:			
12	associate programming instructions with the second interface control; and			
13	execute said programming instructions on selection of said second interface			
14	control.			
15	54. (Original) The apparatus of claim 49, said instructions including further			
16	instructions capable of directing the processor to perform:			
17	associate programming instructions with the first interface control; and			
18	execute said programming instructions on selection of said first interface control.			
19	55. (New) The method of claim 28, wherein the single information browser			
20	region is a selected one of a window, a frame, or a logical portion of the information			

browser having contents identifiable by a single Uniform Resource Locator (URL).